

SPY® MODEL 673 WET SPONGE HOLIDAY DETECTOR OPERATING INSTRUCTIONS



WELCOME

Thank you for purchasing the SPY® Model 673 Wet Sponge Holiday Detector.

Pipeline Inspection Company and our SPY® brand of coating inspection, jeep meter and pig tracking equipment has been serving companies all over the world for over 60 years. With the purchase of this high precision instrument you can now enjoy access to worldwide service and support only SPY® and our vast Distributor network can offer.

For more information about SPY® brand equipment please visit our website at picltd.com.



The SPY® Model 673 Holiday Detector meets the Electromagnetic Compatibility and Low Voltage Directive. This product is a Class B, Group 1 ISM equipment according to CISPR 11. Group 1 ISM product: A product in which there is intentionally generated and/or used conductively coupled radio-frequency energy which is necessary for the internal functioning of the equipment itself. Class B products are suitable for use in domestic establishments and in establishments directly connected to a low voltage power supply network which supplies buildings used for domestic purpose.

SPY is a registered trademark of Pipeline Inspection Company, Houston, Texas 77055, United States.

A copy of this Operating Instructions Manual can be downloaded on our website at picltd.com.

TABLE OF CONTENTS

Unit Calibration	4
Principles of Wet Sponge Holiday Detection	5
673 Overview	6
Connecting Accessories	8
Connecting Optional Accessories	10
Battery Instructions	11
Controls & Testing Instructions	12
673 Operation	13
Troubleshooting Guide	15
Technical Specifications	18
Maintenance & Repair	19
Warranty	20
Electrode Types	21
Accessories	22
Wet Sponge Inspection Kit & Related Equipment	23

UNIT CALIBRATION

As the operator of this unit you require accurate, safe, and reliable equipment to perform coating inspections at the proper output voltage.

Prior to leaving our manufacturing facility Pipeline Inspection Co. certifies that SPY® Model 673 Wet Sponge Holiday Detectors has been calibrated and demonstrates the output voltage of 67.5 volts (+/- 5%). Since output voltage is regulated, this tolerance is maintained regardless of load.

Your unit comes with a **Factory Calibration Certificate** and a **Factory Authorized Calibration Decal** applied to the bottom of the unit both with the date your unit was calibrated.

Our units do not tend to drift but it is recommended that this unit be calibrated at least once per year or more frequently based on heavy usage. **Recalibration of our equipment should be performed ONLY at a SPY® Authorized Service Center due to the unique calibration process; test equipment utilized and properly trained SPY® technicians.**

We DO NOT recommend using any other calibration service other than a SPY® Authorized Service Center; using an outside service with technicians not trained to work on SPY® brand equipment could damage the unit and if the enclosure is opened will void the warranty.

When calibration is needed please return your unit to a SPY® Authorized Service Center or SPY® manufacturing facility located at:

Pipeline Inspection Company
Attn: Calibration
1919 Antoine Dr.
Houston, TX 77055

Please include: Company Name and Contact Information. For a complete list of Authorized Service Centers please visit our website at picltd.com. If a copy of the Calibration Certificate on file is needed it may be obtained by emailing a request to sales@picltd.com.

PRINCIPLES OF WET SPONGE HOLIDAY DETECTION

Wet Sponge Holiday Detectors are used for the detection of discontinuities (holidays) in thin film coatings (1-20 mils) of paint, epoxy or any non-conductive material applied to a conductive material. This type of detector uses 67.5 volts DC for a test voltage, which is applied to the test surface via a wet sponge. The fluid media (usually water) in the wet sponge fills the voids in the surface to be tested and allows low current (micro-amps) to flow into any holidays in the test area. The current moves through the holiday and into the conductive substrate which activates a horn to indicate the presence of the holiday.

673 OVERVIEW

New SPY® 673 Wet Sponge Detectors for Plant or Stationary operations.


SPY® MODEL 673 Wet Sponge Detectors is highly sensitive and accurate. Unit output voltage is 67.5 volts DC.

A uniform coating of only 1 mil of paint or other non-conductive material is sufficient to repel this small current. If a pinhole holiday is encountered, moisture from the sponge will seep in to create a free path for electrical flow, activating the horn and light indicator.

For coatings from 1 mil up to 10 mils thick, ordinary tap water can be used to wet the sponge.

Above 10 mils, for coatings of 11 to 20 mils thickness, a non-sudsing wetting agent (such as SPY® Wetting Agent) is recommended to increase the ability for the moisture to swiftly make its way through pinholes in the thicker coating.

Inspect large surfaces faster with a quick attach, easy to use roller sponge electrode.




- | | |
|--|---|
| <ul style="list-style-type: none"> 1 Visual Light Indicated Power Switch 2 Audible Holiday Indicator 3 Visual Holiday Indicator 4 Lightweight Benchtop Design 5 Adjustable Feet 6 (2) 120 VAC Power Sources for Remote Signal or Control Devices | <ul style="list-style-type: none"> 7 Built-In 80Kohm and 100Kohm Calibration Test Buttons 8 Regulated Output Voltage 9 Optional Grounding Port 10 120 VAC 50/60 HZ Grounded Power Cord 11 Standard Large Sponge Inspects More Area |
|--|---|

CONNECTING ACCESSORIES



CAUTION! DO NOT TOUCH Make sure the switch is in the OFF position prior to connecting any accessory.



STEP 1. CONNECTING THE ELECTRODE WAND. Screw the wand onto the base of the 673 holiday detector and firmly tighten with your hand only.

STEP 2. CONNECTING THE ELECTRODES. The flat sponge electrode comes standard with the 673 and is already attached to the wand. However, if you purchased the optional roller sponge electrode just unscrew the flat sponge electrode from the top of the wand and screw on the optional roller sponge electrode. You can adjust the flat sponge or roller sponge electrode by simply holding the knurled knob firmly and twisting the electrode to the desired position.



CAUTION! DO NOT TOUCH THE ELECTRODE WHILE THE DETECTOR IS OPERATING.

STEP 3. CONNECTING REGULATED OUTPUT VOLTAGE CABLE. Using the included output voltage cable plug the banana jack end into the end of the electrode wand then untwist the red output voltage knob to expose the hole in the output voltage connector, thread the output voltage wire through the hole and then tighten the red output voltage connector knob tightly with your hand only.


STEP 4. 120 VAC 50/60 HZ GROUNDED POWER CORD. Plug the female portion of the power cord into the back of the unit and plug the three prong male end of the power cord into a 120 VAC wall outlet. This power cord allows for the unit to be grounded thereby completing the return path. If a 120 VAC grounded outlet is not available and a two prong electrical adapter must be used with the power cord then the optional grounding port (see step 5) must be used or the return path will not be complete and the unit will not detect holidays.

STEP 5. (OPTIONAL) CONNECTING THE GROUND CABLE. The ground cable attach point is on the backside of the 673, untwist the black knob to expose the hole in the ground connector, thread the ground wire through the hole and then tighten the black ground connector knob tightly with your hand only. (See Diagram 1 on page 10).



PROPER GROUNDING. Make sure the ground cable is uncoiled and extended.

DIAGRAM 1: Shows the method of completing a circuit is by connecting the ground cable of the 673 holiday detector to the uncoated part of the metal substrate of the test piece using the alligator clip. This allows the circuit to complete directly from the detector through the holiday into the substrate back into the detector.



CAUTION! DO NOT TOUCH THE ELECTRODE WHILE THE DETECTOR IS OPERATING.

CONNECTING OPTIONAL ACCESSORIES

For a range of optional accessories and spare parts that enhance and expand the capabilities of the SPY 673 SPY offers an Optional 673 Inspection Kit. See the Accessories page in this manual or call your SPY distributor or manufacturer to order.

STEP 6. (OPTIONAL) CONNECTING ADDITIONAL 14.5" WAND EXTENSION RODS. With the 673 turned off simply unscrew the electrode from the wand and screw on the number of 14.5" wand extensions you need for the job, once complete add the electrode back to the end of the wand. The optional 673 Inspection Kit comes with 2-14.4" wand extensions to give the 673 detector added length for hard to reach test areas

STEP 7. (OPTIONAL) CONNECTING WAND LEAD CABLE. With the 673 turned off disconnect the wand from the base of the unit, screw the knurled portion knob of the wand lead cable to the base of the unit and plug the other end of the wand lead cable to the end of the foam handle wand. Unscrew the electrode from the stock wand electrode and screw it on the foam hand wand.

CONTROLS



TESTING INSTRUCTIONS

No Signal adjustment is necessary with the 673 Wet Sponge Holiday Detector. The unit can easily be tested by means of the test buttons located on the back operating panel.

The test is performed by turning the 673 on and by pressing the 80 Kohm button, the signal will become active causing the horn and LED to be activated. Release the 80 Kohm button then press the 100 Kohm, the signal should NOT activate the horn and LED. This test indicates the unit sensitivity is within calibration.

673 OPERATION

STEP 1: Plug unit in (for more information see page 9, Step 4).

STEP 2: Attach the electrode wand and electrode (see page 8, Steps 1 & 2) and connect the Regulated Output Voltage Cable (see page 9, Step 3).

STEP 3 (OPTIONAL): (See page 10, Step 5). Attach the ground cable to the conductive substrate of the test surface (the uncoated bare metal portion of the surface). See Diagram 1 on page 8.

STEP 4: Wet the electrode sponge with clean tap water to where it is damp or moist to the touch and apply SPY® wetting agent.




IMPORTANT! While the electrode sponge must be damp or moist to the touch it should not be saturated to the point water is running from the sponge. This can result in the water migrating and causing the current to flow away from the sponge down the test surface to holidays further down the test surface or even on the support surface causing false holiday indications.



IMPORTANT! When the coating thickness is between 11–20 mils, a low sudsing wetting agent such as KODAK Photo-flo™ should be applied to the water (test media). This will allow for a lower surface tension, which will help the test media to penetrate the thicker coatings. You can order Kodak Photo-flo direct from SPY®.

STEP 5: Keeping the detector away from the test surface and turn the detector to the on position.

STEP 6: Place the electrode sponge on the coated surface and begin passing the sponge across the surface (See Diagram 2 Below). Several passes should be made over the test area to ensure that moisture has penetrated any possible holiday. If the sponge passes across a pinhole in the coated surface an audible horn from the detector will begin to sound and the red light on the control panel will light up. The audible and visual alert will stop once the electrode moves away from the pinhole. For more precisely locating the holiday use the corner of the sponge in the area the holiday occurred.



! IMPORTANT! Care should be made to ensure that the sponge stays as clean as possible. Dirt or other contamination of the test surface adds resistance, which impedes the current flow capability of the sponge. This can result in missing holidays in the test piece.

TROUBLESHOOTING GUIDE

PROBLEM	POSSIBLE SOLUTION	CORRECTION METHOD
HOLIDAY DETECTOR WILL NOT DETECT HOLIDAYS	Test Buttons	Push the 80k test button, the horn should sound. Push the 100k test button, the horn WILL NOT sound.
	Detection Testing	Touch electrode/wand directly to bare ground cable to test that the unit is functioning properly. The horn will sound and the light on the control panel will light up. If the detector does not detect then ensure ground cable and electrode wand are correctly connected. If the detector still fails to detect a defect in the coating a repair may be needed, contact Pipeline Inspection Company for support.

TROUBLESHOOTING GUIDE CONTINUED ON THE NEXT PAGE...

TROUBLESHOOTING GUIDE

PROBLEM	POSSIBLE SOLUTION	CORRECTION METHOD
HOLIDAY DETECTOR WILL NOT DETECT HOLIDAYS	If Optional Grounding Port Is Used Then Check Detector Ground Connection	With the detector OFF remove the ground cable, clean banana plug connection point and reconnect ground. Ensure both ends of the ground cable are clean. Ensure the clip end of the ground cable is securely connected to metal substrate.
	Check Electrode/ Wand Connection	With the detector OFF unscrew the wand, clean connections and reassemble. Ensure wand and electrode connection points are clean.

TROUBLESHOOTING GUIDE

PROBLEM	POSSIBLE SOLUTION	CORRECTION METHOD
DETECTOR HORN CONSTANT SOUND	Check Power Cord	Make sure power cord is plugged in properly and breaker to outlet has power
	Test Buttons Stuck	Check that the test buttons are not stuck by pressing each several times to disengage.
DETECTOR DOES NOT TURN ON	Switch	Check the power switch to make sure its full toggled on and that the power switch is lit green indicating it has power.

TECHNICAL SPECIFICATIONS

MODEL	673
Voltage Type	DC
Voltage Range (kV)	67.5 Volts
Voltage Output Accuracy	±5%
Coating Range (Min-Max)	1 - 20 mils
Operating Temperature	-40°F to 148°F
Holiday Indicator Type	Audible/Visual
Battery	120V AC
Battery Life	N/A
Low Battery Indicator	120V AC (Optional 220V to 120V transformer)
Unit Weight	1.9 lbs
Unit Dimensions (LxWxH)	9" x 9" x 3.25"
Domestic/International Standards Unit Complies With	NACE SP0188-2006
Factory Warranty	3 Month

MAINTENANCE & REPAIR

If maintained the Model 673 Wet Sponge Holiday Detector will offer you years of dependable operation. Regular care and maintenance of the unit is a requirement of good quality preventative maintenance practices.



WARNING! This detector does not contain any user-serviceable parts; your warranty will be voided if the SPY® unit is opened by anyone other than a SPY® Authorized Service Center or SPY® manufacturing facility.

In the event the unit fails to operate properly please return your unit to a SPY Authorized Service Center or SPY manufacturing facility located at:

Pipeline Inspection Company
Attention: Repair
1919 Antoine Dr.
Houston, Texas 77055

Please include: Company name, contact information and a short description of the problem with the unit. For a complete list of Authorized Service Centers please visit our website at picltd.com.

ELECTRODES AND ACCESSORIES

Sponge electrodes and all attached accessories are prone to wear and tear and will eventually need to be replaced, timing of replacement will depend on how they are maintained and the coatings that they are used on.

WARRANTY

Pipeline Inspection Company, hereafter referred to as (SPY®) warrants that SPY®, Model 673 Series Holiday Detectors shall, under normal use and service, be free from defects in material and workmanship. SPY®'s entire warranty obligation shall be limited to, at SPY®'s option, the repair or replacement free of charge to the buyer of any defective equipment or parts thereof which prove to be defective in material and workmanship under normal use and service.

Claims for defective parts must be made in writing within three (3) months after shipment of the equipment from the works of SPY®. Fast wearing and consumable parts including, but not limited to, electrodes and ground cables, are expressly excluded from the warranty. SPY® shall have the option to require return of a claimed defective part to SPY®'s manufacturing facility in the U.S.A., freight prepaid by buyer for examination to establish buyer's claim.

Except with SPY®'s prior written approval, SPY® shall not be liable (a) for the cost of repairs, alterations or replacements or any expense connected therewith made or incurred by the buyer or its designers, or (b) for defects resulting from alterations or repairs made by others than SPY®, or its approved representatives.

SPY® shall not be liable for damages, including but not limited to direct, special, indirect or consequential, resulting from the handling, or use, whether alone or in combination with other products, or any SPY® equipment or third party designed or manufactured equipment, including without limitation, any loss or damage sustained or caused by the operation and use of the equipment which is improperly operated or its successful operation is impaired by natural elements after its delivery to the buyer.

The foregoing warranty is exclusive and in lieu of all other warranties whether written, oral or implied (including without limitation, any warranty of merchantability or fitness for purpose).

ELECTRODE TYPES

The Model 673 uses cellulose sponge electrodes that vary in form and size and fit a wide range of coating inspection projects. If we don't carry it we can custom build an electrode to fit your project needs.



FLAT SPONGE
3" X 2" X 2"



ROLLER SPONGE



INTERNAL SPONGE
2"- 28" (50-711mm)



INTERNAL
SPONGE PULL
CABLE



IMPORTANT! SPY uses ONLY cellulose sponges for our wet sponge units. DO NOT use rubber or urethane sponges!

Different types of electrodes can be used with different units. The most common electrode is a flat sponge electrode wand. The Model 673 wand utilizes a 2"x 4" x 8" (51mm x 102mm x 203mm) size flat sponge. Roller sponges are also available to increase the surface area in contact and the speed at which the test piece can be tested.

Please call our office at (713) 681-5837 or email us at sales@picltd.com for more product details or to place an order.

ACCESSORIES

The Model 673 has a wide variety of accessories to assist you with your coating inspection project.



**ROLLER SPONGE
AXLE**
AVAILABLE IN 12",
18" & 24" SIZES



**FLAT SPONGE
(SPONGE ONLY)**
4" X 8" X 2"
ITEM #11322



**16 OZ. BOTTLE OF
WETTING AGENT**
ITEM #14001



**ROLLER SPONGE
WAND**
ITEM #14160



**4 OZ. BOTTLE OF
WETTING AGENT**
ITEM #13985



**14.5" EXTENSION
ROD FOR WAND**
ITEM #14162



KLAXON HORN
ITEM #12513



**ROLLER SPONGE
REPLACEMENT
PACKS**
AVAILABLE IN
PACKS OF 3, 5 OR 7

Please call our office at (713) 681-5837 or email us at sales@picltd.com for more product details or to place an order.

WET SPONGE INSPECTION KIT

KIT INCLUDES:

- | | |
|--------------------------------------|---|
| 1 - CARRYING/SHIPPING CASE | 1 - 35FT GROUND CABLE |
| 1 - ROLLER SPONGE AXLE | 1 - FOAM WAND HANDLE |
| 3 - SPARE ROLLER SPONGES | 1 - WAND SIGNAL CABLE |
| 2 - 14.5" EXTENSION SHAFTS | 1 - 4OZ. WETTING AGENT |
| 1 - SPARE FLAT SPONGE (4" X 8" X 2") | 2 - 9 VOLT BATTERIES |
| | 1 - SHOULDER STRAP |
| | ITEM #673KIT
(DETECTOR NOT INCLUDED) |



RELATED EQUIPMENT



SPY® MODEL 670
WET SPONGE
DETECTOR

Please call our office at (713) 681-5837 or email us at sales@picltd.com for more product details or to place an order.



PIPELINE INSPECTION COMPANY

PICLTD.COM